

CLAIMS

1.- Preparation for veterinary use, characterised
in that it includes at least one keratolytic and
cerumenolytic cleaning agent, at least one bactericide
agent, at least one yeast control agent and at least
one anti-irritant and anti-pruriginous agent.

2.- Preparation according to claim 1,
characterised in that it also includes at least one
agent that enhances its cerumenolytic properties.

3.- Preparation according to either of the
previous claims, characterised in that it also includes
at least one vegetable extract with antiseptic and
cicatrizant properties.

4.- Preparation according to any of the previous
claims, characterised in that it also includes at least
one deodorant agent.

5.- Preparation according to any of the previous
claims, characterised in that the agent with
keratolytic and cerumenolytic cleaning effects is
lactic acid, salicylic acid or a mixture of the two.

6.- Preparation according to any of the previous
claims, characterised in that the bactericide agent is
Cetraria islandica extract.

7.- Preparation according to any of the previous
claims, characterised in that the yeast control agent
is lactic acid, salicylic acid or a mixture of the two.

8.- Preparation according to any of the previous

claims, characterised in that the anti-irritant and anti-pruriginous agent is a *Cucumis sativus* vegetable extract.

5 9.- Preparation according to any of the previous claims, characterised in that the agent that enhances the cerumenolytic effect is oleic acid.

10 10.- Preparation according to any of the previous claims, characterised in that the vegetable extract is *Mimosa tenuiflora* extract, *Cetraria islandica* extract, *Camomilla recutita* extract or a mixture of them.

15 11.- Preparation according to any of the previous claims, characterised in that the deodorant agent is *Cetraria islandica* extract.

20 12.- Preparation according to any of claims 1 to 11, characterised in that it includes between 65 and 80% weight of propylene glycol or butylene glycol, or a mixture of both; between 10 and 15% weight of polyethylene glycol 400; between 2 and 10% weight of ethoxydiglycol; between 1 and 5% weight of de-ionised water; between 2 and 5% weight of glycerine of
25 diglycerol, or a mixture of both; between 1 and 4% weight of lactic acid; between 1 and 6% weight of *Cucumis sativus* extract, *Cetraria islandica* extract, *Mimosa tenuiflora* extract and/or *Camomilla recutita* extract, or a mixture of them; between 0.1 and 0.5%
30 weight of oleic acid; and between 0.1 and 0.5% weight of salicylic acid.

35 13.- Use of the preparation according to claims 1 to 11 for obtaining otic drugs for veterinary purposes.

14.- Single-dose pharmaceutical product based on the preparation according to claims 1 to 11, for administration as an otic drug for veterinary purposes.

5

10

\\Red\c\0-53\Word\Memorias\Familia 271 - ESTD\T\Text-CA-US-EP.doc

10043168.011402